

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L40	4816	(DHCP (Dynamic ADJ Host ADJ Configuration ADJ Protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 09:57
L41	121216	(boot\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 09:58
L42	171	L40 ADJ L41	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 10:27
L43	7201	booting	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 10:27
L44	1	L40 ADJ L43	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 10:31
L45	28	L40 ADJ boot	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/06 11:11
L46	4025705	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 11:11
L47	2668692	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 11:12
L49	412470	(slot socket plug interface) SAME L46 SAME L47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 11:47
L50	388	((slot socket plug interface) NEAR3 boot) SAME L46 SAME L47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 12:04
L51	13	L50 SAME client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 11:49

## EAST Search History

L52	12011	((710/9) or (710/43) or (709/222) or (709/245) or (710/41) or (709/220) or (719/321) or (709/253) or (710/3) or (709/226) or (709/250) or (709/254) or (713/1) or (713/2) or (713/100)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:32
L53	70	L50 AND L52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 12:03
L54	10	(L40 NEAR3 boot) SAME L46 SAME L47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 12:05
S6	14093	backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 09:30
S7	4800	(FRU) (field adj replaceable adj unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 09:51
S8	429309	bus	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 09:51
S9	63294	non adj volatile adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 14:38
S10	4104	DHCP (dynamic adj host adj configuration adj protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 10:22
S11	535839	(central adj resource) (server) (administrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 10:03
S12	2124640	slot socket plug adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 10:04
S14	4	S7 S8 S9 S10 S11 S12	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/12 10:07
S15	28	S6 S8 S9 S10 S11 S12	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/09/12 10:09

## EAST Search History

S16	380	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:31
S17	2	S16 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 10:22
S19	45	(710/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/12 16:29
S23	362	CPCI (Compact adj Peripheral adj Component adj Interconnect)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 11:02
S24	366	CPCI (Compact adj Peripheral adj Component adj (Interconnect Interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 11:07
S25	603	CPCI (Compact adj ((Peripheral adj Component adj (Interconnect Interface)) PCI))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 12:07
S26	247	(Intelligent adj Platform adj Management adj Interface) (IPMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 15:33
S27	27	S26 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 12:14
S28	115673	boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 12:14
S29	153	S10 adj S28	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 14:58
S30	6	((("20020023951") or ("20020078394") or ("20020062447") or ("20020044663") or ("20020083176") or ("20020050516")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 11:28
S31	1	("20020023181").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/12 14:18
S32	4104	DHCP (dynamic adj host adj configuration adj protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 14:59
S34	115673	boot\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 14:59

## EAST Search History

S36	29	((Intelligent adj Platform adj Management adj Interface) (IPMI)) adj protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 15:56
S39	600	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/12 16:11
S40	1525	(709/245).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/12 16:12
S42	102	S39 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/12 16:15
S43	225	S40 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 10:44
S46	102	(710/41).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/12 16:29
S47	1839	(709/220).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 09:59
S48	599	(719/321).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 09:12
S49	137	(card (FRU (field adj replaceable adj unit))) NEAR3 (download load retrieve) NEAR3 (address id identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 09:27
S50	20	(peripheral card (FRU (field adj replaceable adj unit))) NEAR10 (download load retrieve) NEAR10 (port slot socket) NEAR10 (address id identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:32
S51	4248	(Intelligent adj Platform adj Management adj Interface) (Intelligent adj Platform adj Management) (IPM) (IPMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 09:51
S52	63	S51 NEAR5 (download load retrieve get)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 15:56
S53	47	unique adj (geographic\$2 adj (location address loci locus identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 10:23
S54	17	(unique adj (geographic\$2 adj (location address loci locus identifier))) SAME network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:33

## EAST Search History

S55	18	(provide give send load store download save retrieve) SAME (address ID identifier) SAME (FRU (Field adj Replaceable adj Unit)) SAME (interface protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 10:46
S56	266	(709/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 10:59
S57	601	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 10:59
S58	60	S57 and (unique adj (address identifier id))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:11
S59	401	(710/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/13 11:11
S60	67	S59 and (unique adj (address identifier if))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:30
S61	110	S57 and (unique adj (address identifier id))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:21
S62	4	("3872452"   "4254473"   "5581787"   "5745708").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/13 11:18
S63	381	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:31
S64	126	S63 and (unique adj (address identifier id))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:22
S65	28	S63 and ((unique adj (address identifier id)) SAME (slot plug adapter socket))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:23
S66	4	((("20020087868") or ("6363423") or ("6154728") or ("20040088463")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/15 16:41
S67	1	("2342471").PN.	EPO	OR	OFF	2006/02/15 16:41
S68	70	S59 and (unique adj (address identifier id))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 11:30
S69	17	("4360870"   "4556953"   "4675813"   "4701878"   "4755934"   "4760553"   "4773005"   "4899274"   "4964038"   "5038299"   "5038320"   "5073773"   "5155378"   "5175822"   "5204669"   "5226123"   "5274771").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 14:16
S70	16	("4368514"   "4413319"   "4556953"   "4593352"   "4905182"   "4931923"   "4964038"   "4992976"   "4993019"   "5038320").PN. OR ("5581787").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 14:18

## EAST Search History

S71	64	("3480914"   "3510843"   "3573741"   "3818447"   "4003033"   "4015244"   "4025903"   "4027108"   "4070704"   "4075693"   "4155117"   "4177511"   "4191996"   "4236207"   "4253087"   "4253144"   "4254463"   "4268901"   "4293924"   "4303993"   "4314354"   "4335426"   "4356475"   "4360870"   "4363094"   "4373181"   "4400775"   "4432049"   "4437157"   "4442504"   "4454596"   "4458357"   "4491913"   "4509113"   "4514728"   "4521847"   "4556953"   "4562535"   "4563736"   "4571676"   "4578773"   "4589063"   "4604690"   "4622633"   "4626634"   "4633392"   "4654857"   "4660141"   "4670855"   "4701878"   "4713834"   "4718038"   "4750136"   "4760553"   "4787025"   "4787028"   "4787030"   "4868783"   "4870704"   "5014193"   "5038320"   "5056060").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 14:16
S72	4248	(Intelligent adj Platform adj Management adj Interface) (Intelligent adj Platform adj Management) (IPM) (IPMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 15:56
S73	253	S72 SAME (download load retrieve get)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 15:57
S74	97	S72 NEAR20 (download load retrieve get)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 15:57
S75	60	S72 SAME (download load retrieve get) SAME (address id identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 16:11
S76	72	S74 NOT S75	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 16:07
S77	316	(download load retrieve get) NEAR2 (address id identifier) NEAR2 (port plug socket adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 16:14
S78	47	(download load retrieve get) NEAR (address id identifier) NEAR (port plug socket adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 16:12
S79	27	(download load retrieve get) NEAR3 (address id identifier) NEAR3 (port plug socket adapter) NEAR3 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/13 16:14
S80	66	(load download retrieve) NEAR5 (port adapter plug socket) NEAR2 (address identification) NEAR3 (memory register)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 10:07
S81	1	((load download retrieve send) NEAR5 (port adapter plug socket) NEAR2 (address identification number id) NEAR3 (memory register) NEAR3 (interface protocol)) NOT S80	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 10:33

## EAST Search History

S82	6	("6424654" "6618757" "6684243" "6792474" "6854072" "6862286").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 14:18
S83	25	("4412281"   "4710926"   "4967344"   "5345566"   "5404465"   "5513314"   "5713017"   "5737514"   "5784547"   "5796934"   "5805785"   "5822512"   "5852724"   "5968185"   "6035412"   "6052797"   "6070191"   "6092214"   "6092218"   "6108300"   "6185695"   "6247141"   "6249879"   "6490610"   "6594776").PN. OR ("6854072").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 16:27
S84	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S85	45	(710/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S86	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S87	1628	(709/245).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S88	102	(710/41).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S89	2002	(709/220).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S90	647	(719/321).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S91	276	(709/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S92	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S93	420	(710/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S94	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/22 16:33
S95	5726	S84 S85 S86 S87 S88 S89 S90 S91 S92 S93 S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 16:33
S96	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S97	45	(710/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S98	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S99	1629	(709/245).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41

## EAST Search History

S10 0	102	(710/41).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 1	2009	(709/220).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 2	647	(719/321).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 3	276	(709/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 4	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 5	420	(710/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 6	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 11:41
S10 7	5734	S96 S97 S98 S99 S100 S101 S102 S103 S104 S105 S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:39
S10 8	695649	(non-volatile near3 (memory storage)) (ROM EPROM EEPROM flash nv-ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:53
S10 9	4007412	(address ID identifi\$7 location offset locus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:20
S11 0	8744666	(transfer\$4 transmission move\$5 writ\$4 read\$4 send\$3 retriev\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:15
S11 1	1767754	(slot socket plug)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:31
S11 2	11691	S108 SAME S108 SAME S110 SAME S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:17
S11 3	140	S112 AND S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:19
S11 4	1399425	replac\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:20



## EAST Search History

S11 5	4010798	(address ID identi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:31
S11 6	8656	(S115 NEAR5 S111) NEAR10 S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:22
S11 7	1635475	replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:22
S11 8	207	S116 SAME S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:22
S11 9	3	S118 AND S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:32
S12 0	989314	(assign\$5 allocat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:33
S12 1	439696	(static)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:40
S12 2	4050317	(address ID identi\$7 location offset locus loci IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:33
S12 3	624	S120 NEAR3 S121 NEAR3 S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:34
S12 4	1	S123 AND S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:39
S12 5	1959	(709/226).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:37
S12 6	1628	(709/245).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:37
S12 7	1513	(709/250).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:38
S12 8	1063	(370/254).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:38
S12 9	1927	(713/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:38

## EAST Search History

S13 0	11416	S96 S97 S98 S99 S100 S101 S102 S103 S104 S105 S106 S125 S126 S127 S128 S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:39
S13 1	91	S123 AND S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 12:39
S13 2	5310370	(static fixed predetermined predefined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:51
S13 3	4050317	(address ID identifi\$7 location offset locus loci IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:51
S13 4	989314	(assign\$5 allocat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 14:51
S13 5	1767754	(slot socket plug)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:53
S13 6	2750	S133 NEAR5 S134 NEAR5 S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:55
S13 7	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S13 8	45	(710/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S13 9	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 0	1629	(709/245).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 1	102	(710/41).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 2	2009	(709/220).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 3	647	(719/321).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 4	276	(709/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55

## EAST Search History

S14 5	653	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 6	420	(710/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 7	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/24 15:55
S14 8	1959	(709/226).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 15:55
S14 9	1628	(709/245).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 15:55
S15 0	1513	(709/250).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 15:55
S15 1	1063	(370/254).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 15:55
S15 2	1927	(713/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/24 15:55
S15 3	11416	S137 S138 S139 S140 S141 S142 S143 S144 S145 S146 S147 S148 S149 S150 S151 S152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:55
S15 4	132	S136 AND S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/24 15:55
S15 5	8	("5592611"   "5835696"   "5936936"   "5974562"   "6108300"   "6173312").PN. OR ("6473396").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/24 16:06
S15 6	12061	((710/301) or (710/9) or (710/43) or (709/222) or (709/245) or (710/41) or (709/220) or (719/321) or (709/253) or (710/3) or (710/9) or (709/226) or (709/250) or (370/254) or (713/1)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 09:29
S15 7	4567544	(assign\$3 allocat\$3 determin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 09:32
S15 8	4013045	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:31
S15 9	2662748	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:31
S16 0	1621	(hot ADJ swap) (plug ADJ "and" ADJ play)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:32

## EAST Search History

S16 1	23796	S157 WITH S158 WITH S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 10:10
S16 2	4	S161 SAME S160	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 09:56
S16 3	41	S157 SAME S158 SAME S159 SAME S160	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 10:03
S16 4	1188	S161 AND S156	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 10:13
S16 5	1044	((710/301) or (710/302)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/27 10:13
S16 6	113	S161 AND S165	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/27 10:13
S16 7	39	("3942158"   "4050098"   "4165534"   "4250563"   "4293924"   "4360913"   "4404651"   "4442504"   "4504927"   "4876664"   "4882702").PN. OR ("5038317").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/27 10:37
S16 8	4567544	(assign\$3 allocat\$3 determin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/28 14:50
S16 9	4013045	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 12:41
S17 0	2662748	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 12:41
S17 1	1621	(hot ADJ swap) (plug ADJ "and" ADJ play)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 12:53
S17 2	224398	(dedicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:13

## EAST Search History

S17 3	738482	(card PCB (printed near circuit near board) FRU (field near replac\$5 near unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:14
S17 4	4013045	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:14
S17 5	2662748	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:14
S17 6	56	S172 with S173 with S174 with S175	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:21
S17 7	16936	backplane	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:22
S17 8	1190	(S172 WITH S174 WITH S175)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:22
S17 9	22	S178 SAME S177	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:26
S18 0	6420579	(assign\$3 allocat\$3 determin\$5 generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/28 14:50
S18 1	4015221	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:51
S18 2	2664279	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:51
S18 3	738978	(card PCB (printed near circuit near board) FRU (field near replac\$5 near unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:51
S18 4	4642	(S180) NEAR5 ((S182 S183) ADJ2 (S181))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:54

## EAST Search History

S18 5	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S18 6	45	(710/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S18 7	655	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S18 8	1634	(709/245).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S18 9	102	(710/41).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 0	2013	(709/220).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 1	649	(719/321).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 2	277	(709/253).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 3	655	(709/222).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 4	423	(710/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 5	411	(710/9).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 14:54
S19 6	1965	(709/226).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/28 14:54
S19 7	1633	(709/245).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/28 14:54
S19 8	1514	(709/250).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/28 14:54
S19 9	1064	(370/254).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/28 14:54
S20 0	1935	(713/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/28 14:54
S20 1	11446	S185 S186 S187 S188 S189 S190 S191 S192 S193 S194 S195 S196 S197 S198 S199 S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 14:54
S20 2	247	S201 AND S184	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:24
S20 3	2	"4755934".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 15:25

## EAST Search History

S20 4	10545	((710/9) or (710/43) or (709/222) or (709/245) or (710/41) or (709/220) or (719/321) or (709/253) or (710/3) or (709/226) or (709/250) or (709/254) or (713/1)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:03
S20 5	6263	(daisy near chain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:06
S20 6	739995	(card PCB (printed near circuit near board) FRU (field near replac\$5 near unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:06
S20 7	286589	(master)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:06
S20 8	17	S205 WITH S206 WITH S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:06
S20 9	2667114	(slot socket plug interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:16
S21 0	4019086	(address ID identifi\$7 location offset locus loci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:16
S21 1	6425630	(assign\$3 allocat\$3 determin\$5 generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/02 12:17
S21 2	7779261	(transfer\$4 transmission mov\$3 writ\$4 read\$4 send\$3 retriev\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/02 12:17
S21 3	4816	(DHCP (Dynamic ADJ Host ADJ Configuration ADJ Protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/02 12:18
S21 4	9309	(S212 NEAR3 S210 NEAR3 S206)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:21
S21 5	2	S214 SAME S213	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:20

## EAST Search History

S21 6	3119	(S212 WITH S209 WITH S210 WITH S206)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:27
S21 7	6	S216 SAME S213	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:23
S21 8	17	(S212 WITH S210 WITH S206) SAME S213	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:48
S21 9	98	(S212 SAME S210 SAME S206) SAME S213	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:49
S22 0	20	S219 AND S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 12:49
S22 1	2	"20040088463".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:20